



FUEL/WATER SEPARATOR SPIN-ONS WITH OPEN PORT FOR BOWL







PROTECT YOUR ENGINE FROM WATER DAMAGE

In a modern fuel system, water can cause just as much damage as dirt. It leads to rust and corrosion which not only harms the tank, but also is passed along in the fuel stream in the form of hard particulate which causes engine wear. Combined with heat and pressure, water can damage parts through cavitation, erosion, etching and spalling.

Baldwin Fuel/Water Separators can help prevent damage by efficiently removing water from fuel before it reaches your engine.














FUEL/WATER SEPARATOR SPIN-ONS WITH OPEN PORT FOR BOWL

PART NUMBER	FITS	REPLACES	SPECIFICATIONS	NOTES
BF791-O 	Quicksilver Outboard Applications	Racor S3213	Thread: 11/16-16 O.D.: 3 25/32 (96.0) Length: 4 1/32 (102.4) F. Gskt.: 2 Included O-Ring: 1 Included	Contains: Port Thread: 3 1/4-10
BF1204-O 	Racor 225R Assembly	Racor R26S	Thread: 1-14 O.D.: 3 3/4 (95.3) Length: 4 11/16 (119.1) F. Gskt.: 1 Included O-Ring: 1 Included	Contains: Port Thread: 1 1/4-10, Integral Post Seal
BF1222-O 	Ford Engines	Ford F2TZ-9N-184-A; Motorcraft FD3375	Thread: 1 -14 O.D.: 4 1/4 (108.0) Length: 4 1/8 (104.8) I. Gskt.: 1 Included O-Ring: 1 Included	Contains: Port Thread: 3-12, Integral Post Seal Related To: BF1222 (Standard Version) BF1222-SP (Sensor Port Version);
BF1223-O 	Ford Trucks	Ford F1HZ-9365-A; Motorcraft FD3368	Thread: 1 -14 O.D.: 4 1/4 (108.0) Length: 5 7/32 (132.6) F. Gskt.: 1 Included I. Gskt.: 1 Included	Contains: Port Thread: 3 3/4-10, Integral Post Seal Related To: BF1223 (Standard Version) BF1223-SP (Sensor Port Version)
BF1249-O 	Blue Bird, Ford, Freightliner, International Buses, Trucks; Hamm Rollers; Hyundai, Liebherr Equipment	Nissan FL6442N	Thread: 1-14 O.D.: 3 21/32 (92.9) Length: 6 5/8 (168.3) F. Gskt.: 1 Included I. Gskt.: 1 Included O-Ring: 1 Included	Contains: Port Thread: 1 1/4-10, Integral Post Seal Related To: BF1249 (Standard Version) BF1249-SP (Sensor Port Version) CAUTION: Furnished O-Ring must be installed on Post for Seal.
BF1278-O 	Ingersoll-Rand Compressors	Ingersoll-Rand 54468178	Thread: 1-12 O.D.: 3 11/16 (93.7) Length: 4 1/8 (104.8) F. Gskt.: 1 Included I. Gskt.: 1 Included O-Ring: 1 Included	Contains: Port Thread: M80 x 2.5, Integral Post Seal Related To: BF1278 (Closed End)




FUEL/WATER SEPARATOR SPIN-ONS WITH OPEN PORT FOR BOWL

PART NUMBER	FITS	REPLACES	SPECIFICATIONS	NOTES
BF1281-O 	Primary Fuel for Racor 4120 Fuel Assembly Series	Racor R120P; Donaldson P550177; Fleetguard FS19754	Thread: 1-14 O.D.: 4 13/32 (111.9) Length: 8 19/32 (218.3) F. Gskt.: 1 Included I. Gskt.: 2 Included	Contains: Port Thread: M95 x 2.5, Integral Post Seal Related To: BF1281 (Standard Version)
BF1282-O 	Agco, Komatsu Equipment; Case Dump Trucks; Cummins Engines	Fleetguard FS1241	Thread: 1-14 O.D.: 3 21/32 (92.9) Length: 4 19/32 (116.7) F. Gskt.: ES24-D I. Gskt.: 1 Included O-Ring: 1 Included	Contains: Port Thread: 1 1/4-2B, Integral Post Seal Related To: BF1282 (Standard Version) CAUTION: Furnished D-Ring must be installed on Post for Seal.
BF1283-O 	Caterpillar Equipment, Industrial, Marine, Truck Engines; Racor 4120 Fuel Assembly Series	Racor R120S; Donaldson P550175; Fleetguard FS1071	Thread: 1-14 O.D.: 4 13/32 (111.9) Length: 8 19/32 (218.3) F. Gskt.: 1 Included I. Gskt.: 2 Included	Contains: Port Thread: M95 x 2.5, Integral Post Seal Related To: BF1283 (Standard Version), BF1283-SP (Sensor Port Version)
BF1287-O 	Komatsu HD465-7, HD605-7 Dump Trucks	Komatsu 600-311-3210, 600-319-3240	Thread: 1 1/4-12 O.D.: 4 7/8 (123.8) Length: 9 29/32 (251.6) A. Gskt.: 1 Included F. Gskt.: 1 Included I. Gskt.: 1 Included	Contains: Port Thread: M85 x 2.5, Integral Post Seal Related To: BF1357 (Standard Version)
BF1288-O 	Komatsu Dump Trucks, Equipment	Komatsu 600-311-4510, 600-319-4500	Thread: 1 1/4-12 O.D.: 4 7/8 (123.8) Length: 9 29/32 (251.6) F. Gskt.: 1 Included I. Gskt.: 1 Included	Contains: Port Thread: M95 x 2.5, Integral Post Seal Related To: BF1357 (Standard Version)
BF1290-O 		CLARCOR Filtration (China) WBF219B; Foton Lovol 1307211500005	Thread: 1-14 O.D.: 4 11/32 (110.3) Length: 6 13/32 (162.7) I. Gskt.: 1 Included O-Ring: 1 Included	Contains: Port Thread: B80 x 3.0 8A Metric Buttress
BF1292-O 	Deutz Engines; Deutz-Fahr, Fendt Tractors Iveco Trucks	Deutz 4291642; Fendt F339202060120; Iveco 42549295, Mercedes-Benz 4771602, A0004771602; Racor R90T-DMAX	Thread: 1-14 O.D.: 4 5/32 (105.6) Length: 6 5/16 (160.3) F. Gskt.: 1 Included I. Gskt.: 1 Included	Contains: Port Thread: M95 x 2.5, Integral Post Seal
BF1294-O 	Scania Gen Set Engines; Terex Crushers	Scania 1518512; SF-Filter SK3360	Thread: 1-14 O.D.: 4 1/4 (108.0) Length: 7 5/32 (181.8) F. Gskt.: 1 Included I. Gskt.: 1 Included	Contains: Port Thread: 3 3/4-10 2B, Integral Post Seal
BF1295-O 	Caterpillar Off-Highway Trucks	CLARCOR Filtration (China) CX1010; DCD 4102H1520	Thread: 1-14 O.D.: 4 1/4 (108.0) Length: 5 1/32 (127.8) F. Gskt.: 1 Included I. Gskt.: 1 Included	Contains: Port Thread: 3 3/4-10 2B
BF1296-O 	Doosan Equipment	CLARCOR Filtration (China) WBF219B1; Sinotruk 13050733	Thread: 1-14 O.D.: 4 1/4 (108.0) Length: 6 13/32 (162.7) I. Gskt.: 1 Included O-Ring: 1 Included	Contains: Port Thread: B80 x 3.0 8A Metric Buttress
BF1297-O 	Mercedes-Benz European Trucks, Vans	CLARCOR Filtration (China) WBF219H; Weichai Power 612630080088	Thread: 1-14 O.D.: 4 9/32 (108.7) Length: 9 3/32 (231.0) I. Gskt.: 1 Included O-Ring: 1 Included	Contains: Port Thread: B80 x 3.0 8A Metric Buttress, Integral Post Seal












FUEL/WATER SEPARATOR SPIN-ONS WITH OPEN PORT FOR BOWL

PART NUMBER	FITS	REPLACES	SPECIFICATIONS	NOTES
BF1298-O 		Foton Lovol 1105111500002; CAMC 1125A86D-010; CLARCOR Filtration (China) CX1014A	Thread: 1-14 O.D.: 4 1/4 (108.0) Length: 6 5/32 (156.4) F. Gskt.: 1 Included I. Gskt.: 1 Included	Contains: Port Thread: M95 x 2.5, Integral Post Seal
BF1299-O 		Yuchai Watyuan 612630080205	Thread: 1-14 O.D.: 4 1/4 (108.0) Length: 7 13/16 (198.4) F. Gskt.: 1 Included I. Gskt.: 1 Included	Contains: Port Thread: 3 3/4-10 2B Buttress, Integral Post Seal
BF1329-O 	Blue Bird Buses; Racor 690R Series Filter Systems; Freightliner, Scania, Volvo Trucks	DAF 1296851; Scania 1393640; Racor R90P; Volvo 8159975	Thread: 1-14 O.D.: 4 1/4 (108.0) Length: 6 5/16 (160.3) F. Gskt.: 1 Included I. Gskt.: 1 Included	Contains: Port Thread: 3 3/4-10 2B Buttress, Integral Post Seal Related To: BF1329 (Standard Version)
BF1345-O 	International Engines, Trucks	International 1618385-C91; Donaldson P550729	Thread: 1-14 O.D.: 4 1/4 (108.0) Length: 5 9/32 (134.1) I. Gskt.: 1 Included O-Ring: 1 Included	Contains: Port Thread: 3-12, Integral Post Seal Related To: BF1345 (Standard Version)
BF1346-O 	Ford, Freightliner, International, Sterling, Western Star Trucks; Racor Housings; Mercedes-Benz Engines	Racor S3226P; Donaldson P550554; Fleetguard FS19593	Thread: 1-14 O.D.: 4 1/4 (108.0) Length: 6 5/16 (160.3) F. Gskt.: 1 Included I. Gskt.: 1 Included	Contains: Port Thread: M95 x 2.5, Integral Post Seal Related To: BF1346 (Standard Version) BF1346-SP (Sensor Port Version)
BF1347-O 	Freightliner Chassis; Freightliner, International, Kenworth Trucks; Thomas Buses	Racor S3226T; Donaldson P551844; Fleetguard FS19798	Thread: 1-14 UNS-2B O.D.: 4 3/8 (111.1) Length: 6 7/32 (158.0) F. Gskt.: 2 Included	Contains: Port Thread: 3 3/4-10 UNS-2B, Integral Post Seal Related To: BF1347 (Standard Version)
BF1348-O 	Blue Bird Buses; Freightliner, Hino, Peterbilt Trucks; Racor 325 Series	Racor S3225P	Thread: 1-14 O.D.: 4 1/4 (108.0) Length: 5 3/16 (131.8) A. Gskt.: 1 Attached F. Gskt.: 1 Included I. Gskt.: 1 Included	Contains: Port Thread: M95 x 2.5, Integral Post Seal Related To: BF1348 (Standard Version) BF1348-SP (Sensor Port Version)
BF1355-O 	Thermo King Units; Volvo Trucks	Racor S3238P; Thermo King 11-9982; Volvo 85104856	Thread: 1 1/4-12 O.D.: 4 7/8 (123.8) Length: 6 5/16 (160.3) F. Gskt.: 1 Included I. Gskt.: 1 Included Grommet: 1 Attached	Contains: Port Thread: M95 x 2.5, Integral Post Seal Related To: BF1355 (Standard Version) BF1355-SP (Sensor Port Version)
BF1358-O 	Volvo Dump Trucks, Equipment	Volvo 11110474, 11110668	Thread: 1-14 O.D.: 4 13/32 (111.9) Length: 8 19/32 (218.3) F. Gskt.: 1 Included I. Gskt.: 1 Included	Contains: Port Thread: 3 3/4-10, Integral Post Seal Related To: BF1358-SP (Sensor Port Version)
BF1360-O 	Blue Bird All-American, Vision Buses	Racor R90S; Donaldson P551854; Fleetguard FS20028	Thread: 1-14 O.D.: 4 9/32 (108.7) Length: 5 21/32 (143.7) F. Gskt.: 2 Included	Contains: Port Thread: 3 3/4-10 Buttress Related To: BF1360 (Standard Version) BF1360-SP (Sensor Port Version)
BF1366-O 	R.V.I., Volvo Trucks	Volvo 20998367; Donaldson P559628; Fleetguard FS19735	Thread: 1-14 O.D.: 3 21/32 (92.9) Length: 5 5/8 (142.9) I. Gskt.: 1 Included O-Ring: 1 Included	Contains: Port Thread: M80 x 2.5, Integral Post Seal













FUEL/WATER SEPARATOR SPIN-ONS WITH OPEN PORT FOR BOWL

PART NUMBER	FITS	REPLACES	SPECIFICATIONS	NOTES
BF1383-O 	DAF Engines, Trucks; Doosan, Terex Equipment	M.A.N. 51.12501.7288, 51.12503.0052; Daewoo K1006529; CLARCOR Filtration (China) WBF219	Thread: 1-14 O.D.: 4 9/32 (108.7) Length: 9 3/32 (231.0) I. Gskt.: 1 Included O-Ring: 1 Included	Contains: Port Thread: B80 x 3.0 8A Metric Buttress
BF1386-O 	Mack, Volvo Engines, Trucks	Mack 21017305; Volvo 20879806	Thread: 1-14 O.D.: 4 1/4 (108.0) Length: 5 3/16 (131.8) I. Gskt.: 1 Included O-Ring: 1 Included	Contains: Port Thread: M80 x 2.5, Integral Post Seal
BF1387-O 	Volvo Engines, Trucks	Volvo 20879812	Thread: 1-14 O.D.: 4 1/4 (108.0) Length: 6 5/16 (160.3) I. Gskt.: 1 Included O-Ring: 1 Included	Contains: Port Thread: M80 x 2.5, Integral Post Seal
BF1388-O 	R.V.I., Volvo Trucks	R.V.I. 7420851191; Volvo 20853583; Racor R60P-D-MAX; Fleetguard FS19895	Thread: 1-14 O.D.: 4 1/4 (108.0) Length: 5 1/8 (130.2) F. Gskt.: 1 Included I. Gskt.: 1 Included O-Ring: 1 Included	Contains: Port Thread: M95 x 2.5, Integral Post Seal
BF1389-O 	Volvo Engines, Trucks	Volvo 20381204; Racor R45T; Donaldson P550746; Fleetguard FS19734	Thread: 1-14 O.D.: 4 1/4 (108.0) Length: 3 17/32 (89.7) F. Gskt.: 1 Included I. Gskt.: 1 Included	Contains: Port Thread: 3 3/4-10 2B Buttress, Integral Post Seal
BF1390-O 	Volvo Trucks	Volvo 20450423; Racor R90T; Fleetguard FS19551	Thread: 1-14 O.D.: 4 11/32 (110.3) Length: 6 3/16 (157.2) F. Gskt.: 1 Included I. Gskt.: 1 Included	Contains: Port Thread: 3 3/4-10 2B Buttress, Integral Post Seal
BF1391-O 	Mercedes-Benz Engines, Trucks	Mercedes-Benz 4771302, A0004771302; Fleetguard FS19914	Thread: 1-14 O.D.: 4 1/4 (108.0) Length: 8 21/32 (219.9) F. Gskt.: 1 Included I. Gskt.: 1 Included	Contains: Port Thread: M95 x 2.5, Integral Post Seal Related To: BF1359-SP (Sensor Port Version)
BF1395-O 	Freightliner Cascadia with Detroit Series 60 Engine	Alliance ABPN122R50421; Donaldson P551858; Racor R120T	Thread: 1-14 O.D.: 4 13/32 (111.9) Length: 8 19/32 (218.3) F. Gskt.: 1 Included I. Gskt.: 2 Included	Contains: Port Thread: M95 x 2.5, Integral Post Seal Related To: BF1395-SP (Sensor Port Version)
BF1398-O 	Volvo Trucks with D6B Engine	Volvo 20386080; Racor R25P; Fleetguard FS19704	Thread: 1-14 O.D.: 3 21/32 (92.9) Length: 5 5/8 (142.9) I. Gskt.: 1 Included O-Ring: 1 Included	Contains: Port Thread: M80 x 2.5, Integral Post Seal Notes: Inside-Out Flow Direction
BF5813-O 	Isuzu FSR Trucks	Isuzu 8156189210; Racor S3202T	Thread: 1-12 UNF-2B O.D.: 3 3/4 (95.3) Length: 7 13/32 (188.1) F. Gskt.: 2 Included O-Ring: 1 Included	Contains: Port Thread: 3 1/8-10 UN 1B Related To: BF5813 (Drain Version), BF5800 (Fuel Version)
BF7968-O 	Racor B32012, B32014 Marine Fuel Systems	Racor S3214	Thread: 1-12 O.D.: 3 25/32 (96.0) Length: 4 1/32 (102.4) F. Gskt.: 2 Included O-Ring: 1 Included	Contains: Port Thread: 3 1/8-10 UN 1B Related To: BF7968 (Standard Version)







FUEL/WATER SEPARATOR SPIN-ONS WITH OPEN PORT FOR BOWL

PART NUMBER	FITS	REPLACES	SPECIFICATIONS	NOTES
BF9866-O 	John Deere Equipment	John Deere RE532952, RE539465	Thread: 7/8-14 O.D.: 4 3/8 (111.1) Length: 8 11/16 (220.7) F. Gskt.: 1 Included I. Gskt.: 1 Included	Contains: Port Thread: M95 x 2.5, Integral Post Seal
BF9867-O 	Evobus Citaro Buses; Mercedes-Benz, Renault Trucks; Bomag Paving Equipment	Bomag 05825015; Renault 7420754418; Racor R160TDMAX	Thread: 1-14 O.D.: 4 13/32 (111.9) Length: 8 21/32 (219.9) F. Gskt.: 1 Included I. Gskt.: 1 Included	Contains: Port Thread: M95 x 2.5, Integral Post Seal
BF9871-O 	Freightliner, Sterling, Western Star Trucks	Alliance ABPN122BR90FRT1; Freightliner BR90FRT10, RAIBR90FRT10; Donaldson P551066	Thread: 1-14 O.D.: 4 5/16 (109.5) Length: 6 5/16 (160.3) F. Gskt.: 1 Included I. Gskt.: 1 Included	Contains: Port Thread: 3 3/4-10 2B Buttress, Integral Post Seal
BF9898-O 	Freightliner Cascadia, FLD, Business Class M2 Trucks	Alliance ABPN/122R-50418; Fleetguard FS19593	Thread: 1-14 O.D.: 4 1/4 (108.0) Length: 6 5/16 (160.3) F. Gskt.: 1 Included I. Gskt.: 1 Included	Contains: Port Thread: M95 x 2.5, Integral Post Seal
BF9912-O 	Hyundai Loaders, Racor Fuel Systems	Atlas Copco 2914809200; Fleetguard FS19775	Thread: 1-14 O.D.: 4 1/4 (108.0) Length: 3 15/32 (88.1) F. Gskt.: 1 Included I. Gskt.: 1 Included	Contains: Port Thread: 3 3/4-10 Buttress, Integral Post Seal
BF9921-O 	John Deere Industrial, Marine Engines	John Deere RE503676	Thread: 1-14 O.D.: 4 1/4 (108.0) Length: 8 21/32 (219.9) F. Gskt.: 1 Included I. Gskt.: 1 Included Grommet: 1 Attached	Contains: Port Thread: M95 x 2.5, Integral Post Seal, Pre-Fill Cup
BF9922-O 	Mercedes-Benz Latin America Buses, Trucks	Mercedes-Benz A3820927005; Racor R20P	Thread: 1-14 O.D.: 3 21/32 (92.9) Length: 4 1/8 (104.8) I. Gskt.: 1 Included O-Ring: 1 Included	Contains: Port Thread: M80 x 2.5, Integral Post Seal Related To: BF46021-O, BF46022-O (Micron Difference) Notes: Inside-Out Flow Direction
BF9923-O 	Atlas Copco, Bomag Equipment; Dynapac Rollers; Komatsu Excavators	Cummins 4941237; Komatsu 600-319-4110	Thread: M24 x 1.5 O.D.: 3 3/4 (95.3) Length: 5 1/4 (133.4) I. Gskt.: 1 Included O-Ring: 1 Included	Contains: Port Thread: 1 1/4-10
BF9925-O 		Racor S6464; Donaldson P551034; Fleetguard FS19538	Thread: 1-14 O.D.: 4 1/4 (108.0) Length: 6 5/16 (160.3) F. Gskt.: 2 Included	Contains: Port Thread: M95 x 2.5
BF9926-O 	Yanmar Engines	Yanmar 12065066020	Thread: 1-14 O.D.: 3 11/16 (93.7) Length: 4 1/8 (104.8) I. Gskt.: 1 Included O-Ring: 1 Included	Contains: Port Thread: M80 x 2.5, Integral Post Seal
BF46016-O 	Freightliner Trucks; Racor Fuel Systems	Freightliner ABPN122R50551	Thread: 1-14 O.D.: 4 11/32 (110.3) Length: 6 1/8 (155.6) F. Gskt.: 1 Included O-Ring: 1 Included	Contains: Port Thread: 3 3/4-10 Buttress, Integral Post Seal

FUEL/WATER SEPARATOR SPIN-ONS WITH OPEN PORT FOR BOWL

PART NUMBER	FITS	REPLACES	SPECIFICATIONS	NOTES
BF46017-O	 Bobcat Compressors; Doosan G20 Portable Generators; Ingersoll-Rand Compressors	Ingersoll-Rand 54525530	Thread: 1-12 O.D.: 3 25/32 (96.0) Length: 3 1/4 (82.6) F. Gskt.: 1 Included O-Ring: 1 Included	Contains: Port Thread: 3 1/8-10 UN 1B
BF46018-O	 International, Navistar Trucks with Maxxforce Engine	International 2602549C1	Thread: 1-14 O.D.: 4 1/4 (108.8) Length: 8 17/32 (216.7) F. Gskt.: 2 Included	Contains: Port Thread: 3 3/4-10 UN 2B, Integral Post Seal
BF46019-O	 Racor 215R Fuel Assembly	Racor R15S	Thread: 1-14 O.D.: 3 21/32 (92.9) Length: 3 9/32 (83.3) F. Gskt.: 1 Included O-Ring: 1 Included	Contains: Port Thread: 3 1/8-10 UN 1B
BF46020-O	 Racor 215R Fuel Assembly	Racor R15T	Thread: 1-14 O.D.: 3 13/16 (96.8) Length: 3 9/32 (83.3) F. Gskt.: 1 Included O-Ring: 1 Included	Contains: Port Thread: 3 1/8-10 UN 1B
BF46021-O	 Racor 230R Fuel Assembly Series	Racor R20S	Thread: 1-14 O.D.: 3 11/16 (93.7) Length: 4 1/16 (103.2) F. Gskt.: 1 Included O-Ring: 1 Included	Contains: Port Thread: 3 1/8-10 UN 1B Related To: BF9922-O, BF46022-O (Micron Difference)
BF46022-O	 Racor 230R Fuel Assembly	Racor R20T	Thread: 1-14 O.D.: 3 11/16 (93.7) Length: 4 1/32 (102.4) F. Gskt.: 1 Included O-Ring: 1 Included	Contains: Port Thread: 3 1/8-10 UN 1B Related To: BF9922-O, BF46021-O (Micron Difference)
BF46023-O	 Racor 220R Fuel Assembly (Old Version)	Racor R24P	Thread: 1-14 O.D.: 3 3/4 (95.3) Length: 3 9/16 (90.5) F. Gskt.: 1 Included O-Ring: 1 Included	Contains: Port Thread: 1 1/4-10
BF46024-O	 Used in Model 220RMAM Filter Assembly	Racor R24T	Thread: 1-14 O.D.: 3 3/4 (95.3) Length: 3 9/16 (90.5) F. Gskt.: 1 Included O-Ring: 1 Included	Contains: Port Thread: 1 1/4-10
BF46025-O	 Racor R245R Fuel Assembly	Racor R25T	Thread: 1-14 O.D.: 3 3/4 (95.3) Length: 5 17/32 (140.5) F. Gskt.: 1 Included O-Ring: 1 Included	Contains: Port Thread: 3 1/8-10 UN 1B
BF46026-O	 Racor 225 Fuel Assembly Series	Racor R26T; Donaldson P550088; Fleetguard FS1234	Thread: 1-14 O.D.: 3 3/4 (95.3) Length: 4 21/32 (118.3) F. Gskt.: 1 Included O-Ring: 1 Included	Contains: Port Thread: 1 1/4-10
BF46027-O	 Racor 400, 600 Fuel Assembly Series	Racor R45S	Thread: 1-14 O.D.: 4 3/8 (111.1) Length: 3 1/2 (88.9) F. Gskt.: 2 Included	Contains: Port Thread: 3 3/4-10 ANS Buttress, Integral Post Seal
BF46028-O	 Racor 320R-RAC-02 Mounting Base; Marine Engines	Racor S3227	Thread: 1-14 O.D.: 4 (108.0) Length: 4 1/16 (103.2) F. Gskt.: 1 Included O-Ring: 1 Included	Contains: Port Thread: 3 1/8-10 UN 1B

FUEL/WATER SEPARATOR SPIN-ONS WITH OPEN PORT FOR BOWL

PART NUMBER	FITS	REPLACES	SPECIFICATIONS	NOTES
BF46029-O 	Racor Marine Applications	Racor S3228UL	Thread: 1-14 O.D.: 3 25/32 (96.0) Length: 4 1/32 (102.4) F. Gskt.: 1 Included O-Ring: 1 Included	Contains: Port Thread: 3 1/4-10 UN 1B, Integral Post Seal
BF46030-O 	Racor 660R-RAC, 3120R-RAC Fuel Assembly Series	Racor S3232	Thread: 1-14 O.D.: 3 25/32 (96.0) Length: 5 1/2 (139.7) F. Gskt.: 2 Included O-Ring: 1 Included	Contains: Port Thread: 3 3/4-10 UN 1B
BF46083-O 	Scania Trucks	Scania 1393640	Thread: 1-14 O.D.: 4 1/4 (108.0) Length: 6 3/16 (157.2) F. Gskt.: 2 Included	Contains: Port Thread: 3 3/4-10 Buttress, Integral Post Seal
BF46098-O 	Freightliner Century Class, Cargo FC80, Cascadia Trucks	Alliance ABP/N122-R50419	Thread: 1-14 O.D.: 4 1/4 (108.0) Length: 6 9/32 (159.5) F. Gskt.: 2 Included	Contains: Port Thread: 3 3/4-10 UNS B, Integral Post Seal
BF46099-O 	John Deere Equipment	John Deere AT365869; Racor 51401	Thread: 1-14 O.D.: 4 1/4 (108.0) Length: 8 19/32 (218.3) F. Gskt.: 2 Included	Contains: Port Thread: 3 3/4-10 UNS 2B, Integral Post Seal
BF46100-O 	John Deere Equipment	John Deere AT365870; Donaldson P551034; Racor 51402	Thread: M95 x 2.5 O.D.: 4 1/4 (108.0) Length: 6 7/32 (158.0) F. Gskt.: 2 Included	Contains: Port Thread: 3 3/4-10 UNS B, Integral Post Seal

TOUGH PROTECTION FOR HARD WORKING FUEL SYSTEMS



Stanadyne Fuel Additives improve engine performance and fuel economy. Performance Formula Additive also contains demulsifying agents that facilitate water removal. Developed by a leading fuel system manufacturer, Stanadyne Fuel Additives is the only brand tested and approved by engine and vehicle OEMs.

CROSS-REFERENCE GUIDE

BALDWIN	DONALDSON	FLEETGUARD	HENGST	LUBER-FINER	MANN & HUMMEL	WIX
BF791-O	-	-	-	-	-	33769
BF1204-O	P551845	FS1234	-	LFF8061	-	33446
BF1222-O	P553375	FS1281	-	LFF5824	-	33217
BF1223-O	P551852	-	H7060WK10	LFF8063	WK11421X	33231
BF1249-O	P551864	FS1242	-	-	WK94036X	33242
BF1278-O	-	FS20080	-	LFF9012	-	-
BF1281-O	P551859	FS19754	H7120WK30	-	WK11002X	33774
BF1282-O	-	FS1241	-	LFF8065	-	33421
BF1283-O	P550175	FS1071	-	LFF8707	-	-
BF1287-O	-	FS20036	-	-	-	-
BF1288-O	P550937	-	-	LFF5357	-	33942
BF1290-O	-	-	-	-	-	-
BF1292-O	-	FS19950	H7091WK10	-	WK1070X	-
BF1294-O	-	-	-	-	-	-
BF1295-O	-	-	-	-	-	-
BF1296-O	-	FS19907	H304WK	-	PL270X	-
BF1297-O	-	FS20071	H356WK	-	PL4207X	-
BF1298-O	-	-	-	-	-	-
BF1299-O	-	-	-	-	-	-
BF1329-O	P551856	FS19532	H7090WK30	LFF5766	WK10603X	33838
BF1345-O	P550729	FS19547	-	LFF3579	-	33232
BF1346-O	P550554	FS19593	-	LFF5850	-	33812
BF1347-O	P551844	FS19798	-	LFF5851	-	33813
BF1348-O	P550436	FS19521	-	LFF5849	-	33630
BF1355-O	-	FS19799	-	LFF9982	-	33938
BF1358-O	P551859	FS19753	H7121WK10	LFF9753	WK1176X	33782
BF1360-O	P551854	FS20028	-	LFF8063	-	33788
BF1366-O	P559628	FS19735	H700WK	LFF3293	WK94033	WF10210
BF1383-O	P550778	FS19769	H710WK	LFF9769	PL420X	33713
BF1386-O	P551838	FS19966	-	LFF3358	WK10006Z	33995
BF1387-O	-	FS19920	H7091WK30D199	-	-	WF10011
BF1388-O	-	FS19895	H7063WK30	-	WK1040/1X	WF10010
BF1389-O	P550746	FS19734	-	-	WK1020X	33440
BF1390-O	P551855	FS19551	H7090WK10	-	WK1060/5X	-
BF1391-O	-	FS19914	H701WK	LFF9737	WK10807	WF10078
BF1395-O	P551858	FS19591	H7120WK10	-	WK1175X	-
BF1398-O	-	FS19704	H7025WK30	-	WK94032X	33441
BF5813-O	P558010	FS19513	-	LFF9002	-	33442
BF7968-O	-	-	-	-	-	33770
BF9866-O	-	FS1096	-	LFF6964	-	33969
BF9867-O	-	FS19949	-	-	WK10806X	-
BF9871-O	P551066	-	-	LFF8957	-	-
BF9898-O	P551856	FS19593	-	LFF5849	-	-
BF9912-O	P551850	FS19775	H7045WK30	-	-	33755
BF9921-O	-	-	-	-	-	33986
BF9922-O	-	FS19996	-	-	WK923/2X	33614
BF9923-O	P502566	FS19805	-	-	-	WF10163
BF9925-O	P551034	FS19538	-	-	-	33047
BF9926-O	-	-	-	-	-	WF10202
BF46016-O	-	FS20095	-	-	-	WF10012
BF46017-O	-	FS19964	-	-	-	33730
BF46018-O	P551839	FS20040	-	LFF7660	-	WF10006
BF46019-O	-	-	-	-	-	33433
BF46020-O	-	-	-	-	-	33435
BF46021-O	-	-	-	-	-	33776
BF46022-O	-	-	-	-	-	33432
BF46023-O	-	-	-	-	-	33447
BF46024-O	P551744	-	-	-	-	33445
BF46025-O	-	FS19778	-	-	WK940/38X	33771
BF46026-O	P551846	FS1234	-	-	WK933X	33443
BF46027-O	P551848	FS1084	-	-	-	33773
BF46028-O	-	-	-	-	-	33757
BF46029-O	-	-	-	-	-	33772
BF46030-O	-	-	-	-	-	33746
BF46083-O	-	-	-	-	-	-
BF46098-O	P551857	FS19798	-	LFF5851	-	WF10059
BF46099-O	P551858	FS19754	-	-	-	33986
BF46100-O	P551034	FS20127	-	-	-	WF10110



800.822.5394 | baldwinfilter.com

Designed and manufactured in the USA.

Form 583-SM (R 3/18) © 2018 Baldwin Filters, a Parker Hannifin Company

Printed in the U.S.A.